

# INDEX

## \$

\$\$LOGOFF.BAT, 181, 492  
\$\$LOGON.BAT, 181, 493  
@-variables  
    see @ macros  
@ macros  
    action related, 336  
    alphabetical listing, 339  
    file transfer related, 336  
    formatting, 339  
    message related, 190, 337  
    miscellaneous, 337  
    user related, 338  
    using, 350  
/BASE, 23  
/BAUD, 23  
/BIGNDX, 24  
/C, 17  
/CDROM, 24  
/CID, 18  
/CNAMES, 119  
/COLOR, 24  
/COM, 24  
/CONNECT, 25  
/CSTR, 17  
/DTE, 18  
/ERR, 18  
/EVENT, 18  
/FILE, 19, 119, 447  
!filename  
    PCBText record, 331  
\$filename  
    PCBText record, 331  
%filename  
    file directories, 418, 437  
    PCBText record, 330  
/IRQ, 25  
/ISDN, 25  
/KEY, 20  
@LIST@, 215  
/LOCALON, 20, 35  
/MONO, 26  
/NMT, 26  
/NOATA, 26  
/NOCONF, 27  
/NODE, 27  
/NOENV, 21  
/OLDINDEX, 28, 204, 213  
/OS, 28  
@PARAMS@, 325

/PORT, 28  
/PPE, 21  
/READSYS, 21  
/RUNPPE, 22  
@USER@, 73  
/USERSYS, 22  
@X color codes  
    background value, 349  
    defining BBS colors, 185  
    described, 349  
    file directories, 418  
    foreground value, 349  
    using, 350

## 0

0-byte file  
    use when moving or  
    deleting, 423

## 1

16550 UART, 32, 156, 157, 277

## 2

25/50 line mode, 123, 420, 432

## 3

3 minute screen clear, 177

## 5

50 line mode  
    see 25/50 line mode

## 7

79 column mode, 36, 112  
7E1, 157, 544

## 8

8N1, 157

## A

abandon conference, 66  
abort message  
    see entering message  
absolute naming, 121  
account  
    balance, 508  
ACCOUNT.CFG, 194, 195, 215,  
502

account ratios  
    example, 510  
    initializing account, 500  
accounting  
    balance, 198, 199, 507  
    charge for commands, 142  
    common applications, 509  
    concurrent usage, 193  
    configuration, 193  
    controllable areas, 501  
    credit multiplier, 137  
    debit multiplier, 135  
    display credit form, 193  
    display files, 198  
    enabling, 134, 193  
    explanation of, 498  
    initialize accounts, 499  
    installing, 498  
    low balance, 195  
    peak time, 194  
    security levels, 498  
    see also charging  
    see also credits  
    see also earning  
    see also money  
    see also pay-as-you-go  
    see also pre-pay  
    starting balance, 195  
    tracking file, 196  
    units, 498, 506  
active file, 539  
add files  
    see also file directory  
additive balance calculation, 507  
address  
    AKA, 520  
    bang domain, 538  
    changing, 112  
    in user record, 361  
    presenting, 520  
    primary, 520  
    PSA, 396  
    sub domain, 538  
addressee  
    validating name, 167  
Administrator  
    see SysOp  
AKA  
    default, 530  
    see Fido  
alarm  
    inactivity warning, 284  
    status, 30  
    SysOp page in Control

Panel, 284  
 turning on/off, 16, 33  
 alias  
   allow changing, 173  
   changing, 112  
   enable by conference, 213  
   enable by security level, 134  
   in group chat, 181  
   in user record, 361  
   PSA, 395  
   remove security restrictions, 27  
   showing in WHO display, 160  
   skipping for new users, 175  
   turning on/off, 67, 95  
 ALIAS.IN, 536, 545, 546  
 ALIAS.OUT, 536  
 ALLFILES.LST, 144, 418, 448  
 ANALYSIS.RPT, 418  
 analyze system configuration, 392  
 ANSI  
   default at login, 178  
   in group chat, 147  
   in messages, 166  
   see also graphics mode  
 answer string for modem, 152  
 answering  
   number of rings, 156  
   on true ring detect, 156  
 answering phone, 47  
 application program  
   see also door  
 archive  
   configuration, 523  
   filename inside, 427  
   newest file date, 423  
   oldest file date, 423  
   type to use for Fido, 519, 523  
 areafix  
   response message, 518, 522  
 areafix forwarding, 518  
 Arnet, 243, 247  
 ASCII file  
   capturing, 34, 36  
   importing, 34, 36  
   see also text file  
   tracking file, 197  
   viewing, 56  
 AST, 243

asynchronous, 150  
 attached files  
   see file attachments  
 attached subdirectory  
   see hard disk subdirectory  
 attempts  
   Fido connections, 152  
 auto-login  
   door, 220  
 auto-move  
   see rules file  
 auto-register  
   conference flags, 203  
   public conferences, 176, 203  
 auto-rejoin conference  
   see conferences  
 auto-selection rules  
   see rules file  
 autobot, 546  
 AUTOEXEC.BAT, 246  
   DOS windows under  
   OS/2, 222  
   modifying for a network, 266  
   modifying for multitasker, 250  
 automated reply, 546

---

**B**  
 back-doors, 305  
 background  
   priority, 253  
 backscroll buffer  
   see scroll-back buffer  
 backup, 307, 425  
 bad packets  
   location of, 522  
 BAG files, 547  
 balance  
   additive method, 507  
   calculating, 507  
   concurrent calculation, 507  
   displaying to caller, 508  
   see also accounting  
 bang domain, 538  
 base address  
   COMM-DRV, 244  
   configuring, 150  
   overriding, 23  
 BASE environment switch, 23  
 base path, 536

batch files  
   at login, 181, 493  
   at logoff, 181, 492  
   compressing messages, 493  
   decompressing UUCP packets, 545  
   doors, 220, 222, 223, 490  
   events, 162, 491  
   external protocols, 491  
   Fido, 531  
   PCBMoni, 493  
   PCBoard for OS/2, 490  
   QWK, 494  
   remote drop to DOS, 496  
   slow drives, 171  
   testing uploads, 495  
   UUCP, 536  
   viewing files, 496  
 batch transfers  
   adding to batch, 73  
   disabling uploads, 169  
   limiting size of, 133  
   list batch, 73  
   promoting, 169  
   removing from batch, 73  
   security required, 192  
   see downloading  
   see uploads  
 BAUD environmnet switch, 23  
 baud rate  
   allowing slower speeds, 158  
   determines byte limit, 132  
   locking, 151  
   lowest desired, 157  
   opening speed, 150  
   overriding, 23  
   security level override, 158  
 BBS, 10  
 BBS name, 159, 535  
 beep, 202  
 bell, 16, 30, 33, 184  
 bi-directional  
   see transfer protocol  
 BIGNDX environment switch, 24  
 block size  
   transfer protocol, 140  
 BLT  
   display file, 236  
 BLT.LST, 120, 207, 234  
 BLTS display file, 207  
 BOARD.BAT

- loading PCBoard, 14
- multiple nodes, 252
- sample, 36
- understanding, 37
- BOARD.CMD, 282
  - see also BOARD.BAT
- board name, 159
- Boca, 243
- Boolean searching, 115, 311, 420, 427
- BOUNCE.TXT, 546
- bounced messages, 546
- brand of CPU
  - changing online, 112
- broadcast a message, 65, 190
- buffer
  - scroll-back, 183
  - size for uploading, 171
- bulletins
  - checking validity, 120
  - creating, 234
  - definition file, 207
  - disabling, 235
  - downloading, 67, 145
  - making available for download, 235
  - menu, 207, 236
  - number, 234
  - record searching, 235
  - redisplay menu, 68
  - scanning for new, 180
  - searching, 235
  - searching for text, 68
  - viewing, 67
  - viewing new, 67
- business phone
  - see phone numbers
- busy signal
  - redialing, 544
- busying phone line, 15
- buttons
  - call waiting screen, 15
- byte ratio
  - creating table, 377
  - defining, 133
  - giving credit, 134
- bytes
  - based on baud, 132
  - charging for download, 196, 502, 503
  - credit for uploading, 170
  - daily allotment, 132, 526
  - earning for upload, 196, 502

- left today, 31
- one-time allotment, 133
- session limit, 525

---

## C

- C command line parameter, 17
- call
  - see also login
- call waiting screen
  - 3 minute screen clear, 177
  - countdown, 149
  - explanation of buttons, 15
  - indicators, 30
  - navigating, 14
  - password protection, 124
  - recycle node, 16
  - resetting stats, 16
  - statistics, 16
- CALLER file
  - see caller log
- Caller ID, 18, 156, 182
- caller log
  - contents of, 51
  - deleting, 51
  - location of, 126
  - missed connections, 156
  - printing, 15, 33, 51
  - recording caller number, 182
  - recording connect string, 182
  - recording security level, 182
  - searching, 63
  - searching for text, 51
  - unable to create, 43
  - viewing, 51, 63
  - viewing all nodes, 63
- caller number, 111, 182
- calls
  - number of by user, 30
- capture
  - charge for messages, 196, 504
  - chat sessions, 127, 181
  - filename for messages, 165
  - limit messages, 112
  - to file, 34, 36
  - to printer, 34, 36
- carbon copies, 76
- carbon copy
  - see messages

- card segment
  - COMM-DRV, 245
- card type
  - ARNET, 243
  - AST, 243
  - BOCA-DMB, 243
  - BOCA1610, 243
  - COM/XI, 243
  - COMM-DRV, 243
  - GTEK, 243
  - HUB6, 243
  - PC-COM, 243
  - PC/Xe or PC/Xi, 243
  - UART, 243
- carrier
  - detecting, 155
  - losing running door/protocol, 247
  - lowest speed allowed, 157
  - overriding speed, 25
  - run batch file on loss of, 493
  - seconds to wait for, 149
  - speed in status line, 29, 32
  - verify detection, 155
- CD-ROM, 24, 171
- CDLOST.BAT, 493
- CDROM environment switch, 24
- CGA, 179
- charging
  - door execution, 221
  - downloads, 196
  - echo mail, 196
  - entering messages, 196, 215
  - group chat, 196
  - login (each call), 196
  - messages captured, 196
  - messages read, 196, 215
  - minutes used, 196, 215, 221
  - peak time, 196
  - private messages, 196
  - see also accounting
- CHAT.DAT, 127
- chat frequency, 160
- chat script, 544
- CHATM display file, 147
- chatting
  - allow handles, 181
  - availability, 359
  - availability status, 68
  - capturing to file, 127, 181
  - changing channels, 69

<ul style="list-style-type: none"> <li>changing handle, 70</li> <li>charging, 196, 502</li> <li>enabling SysOp paging, 15, 33</li> <li>group intro file, 147</li> <li>group of users, 68</li> <li>hours SysOp is available, 184</li> <li>location of data file, 127</li> <li>location of menu, 147</li> <li>make channel private, 70</li> <li>make channel public, 70</li> <li>SysOp with caller, 33, 86</li> <li>topic, 70</li> <li>unavailable status, 68</li> <li>warning for non-ANSI, 147</li> </ul>	<ul style="list-style-type: none"> <li>specifying filenames, 122</li> <li>updating, 120</li> </ul>	<ul style="list-style-type: none"> <li>command definition file <ul style="list-style-type: none"> <li>see CMD.LST</li> </ul> </li> <li>command display files, 131, 352</li> <li>command line parameters <ul style="list-style-type: none"> <li>PCBEdit, 458</li> <li>PCBFiler, 446</li> <li>PCBMoni, 465</li> <li>PCBoard, 17</li> <li>PCBPack, 468</li> <li>PCBSetup, 119</li> <li>PCBSTATS, 475</li> <li>System Manager, 402</li> <li>TESTFILE, 453</li> <li>UUUTIL, 539</li> </ul> </li> <li>command prompt <ul style="list-style-type: none"> <li>conference, 50</li> </ul> </li> <li>commands <ul style="list-style-type: none"> <li>adding, 142, 327</li> <li>charging, 142, 502</li> <li>display file before, 131</li> <li>DOS, 60</li> <li>entering, 50</li> <li>protecting SysOp <ul style="list-style-type: none"> <li>commands, 305</li> </ul> </li> <li>redisplay last, 66</li> <li>replacing, 329</li> <li>stacking, 50</li> <li>SysOp, 50</li> <li>SysOp (group chat), 71</li> <li>SysOp (messages), 95</li> <li>SysOp menu, 204</li> <li>user, 66</li> <li>user menu, 204</li> </ul> </li> <li>comment field <ul style="list-style-type: none"> <li>sysop, 31</li> <li>user, 31</li> </ul> </li> <li>comment line <ul style="list-style-type: none"> <li>see script questionnaire</li> </ul> </li> <li>comment to SysOp <ul style="list-style-type: none"> <li>forcing to Main Board, 167</li> <li>on password failure, 174</li> <li>security required to read, 189</li> <li>see messages</li> </ul> </li> <li>COMMTSR <ul style="list-style-type: none"> <li>see COMM-DRV</li> </ul> </li> <li>compatibility <ul style="list-style-type: none"> <li>networks, 261</li> </ul> </li> <li>compile nodelist, 529</li> <li>compressed batch format, 545</li> <li>compressed file extension, 145</li> <li>concurrent accounting <ul style="list-style-type: none"> <li>balance calculation, 507</li> </ul> </li> </ul>
<ul style="list-style-type: none"> <li>CID command line parameter, 18</li> </ul>	<ul style="list-style-type: none"> <li>color <ul style="list-style-type: none"> <li>customizing for PCBoard, 393</li> <li>default, 185</li> <li>definition file, 142</li> <li>display files, 330</li> <li>file directories, 428, 438</li> <li>message header, 185</li> <li>message header: FROM, 185</li> <li>monitor display, 24</li> <li>see also @X color codes</li> </ul> </li> <li>color codes <ul style="list-style-type: none"> <li>see @X color codes</li> </ul> </li> <li>COLOR environment switch, 24</li> <li>color graphics <ul style="list-style-type: none"> <li>see graphics mode</li> </ul> </li> <li>COM environment switch, 24</li> <li>COM port <ul style="list-style-type: none"> <li>base address, 150</li> <li>COMM-DRV, 243</li> <li>error at load time, 45</li> <li>error initializing, 43</li> <li>IRQ, 150</li> <li>overriding, 24, 28</li> <li>overruns, 32</li> <li>selecting, 150</li> </ul> </li> <li>COMM-DRV <ul style="list-style-type: none"> <li>base address, 244</li> <li>card segment, 245</li> <li>card type, 243</li> <li>COMMTSR, 245</li> <li>configuring, 242</li> <li>DRVSETUP, 242</li> <li>FOSSIL interface, 245</li> <li>installing, 245</li> <li>IRQ, 245</li> <li>port number, 243</li> <li>see also multiport driver</li> <li>sub-port, 244</li> <li>testing, 246</li> </ul> </li> <li>comm driver <ul style="list-style-type: none"> <li>asynchronous, 150</li> <li>COMM-DRV, 241</li> <li>FOSSIL, 28, 150, 246</li> <li>multiport, 28, 150</li> <li>OS/2, 28, 150, 247</li> <li>selecting, 248</li> <li>types supported, 241</li> </ul> </li> </ul>	
<ul style="list-style-type: none"> <li>city <ul style="list-style-type: none"> <li>changing online, 112</li> <li>confirming at login, 175</li> <li>in status line, 29</li> <li>in user record, 26, 358</li> <li>mixed case, 26</li> <li>showing in WHO display, 160</li> </ul> </li> <li>clearing a node entry <ul style="list-style-type: none"> <li>see also PCBMoni</li> <li>see USERNET</li> </ul> </li> <li>closed board <ul style="list-style-type: none"> <li>enabling, 132, 173</li> <li>notifying callers, 146</li> </ul> </li> <li>CLOSED display file, 146</li> <li>CLR file <ul style="list-style-type: none"> <li>see caller log</li> </ul> </li> <li>CMD.LST <ul style="list-style-type: none"> <li>charging for a command, 502, 505</li> <li>conference specific, 213</li> <li>location of, 142</li> <li>replacing existing <ul style="list-style-type: none"> <li>commands, 329</li> </ul> </li> <li>running menus, 324</li> </ul> </li> <li>CMD files, 490</li> <li>CNAMES <ul style="list-style-type: none"> <li>command line parameter, 119</li> <li>door definition, 228</li> <li>importing into PCBSetup, 119</li> <li>location of, 126</li> <li>pre-loading, 180</li> <li>see also CNAMES.@@@</li> <li>see also CNAMES.ADD</li> </ul> </li> </ul>		

- tracking, 193
- conference allocations
  - see user info file
- conference command prompt
  - see command prompt
- conference data file
  - see CNAMEs
- conference flags, 44, 299, 360, 379
- conference info in DOOR.SYS, 27
- conference number
  - in status line, 29
- conference SysOp
  - enabling, 360
  - running PCBFiler, 447
  - see flags
- conferences
  - abandoning, 66
  - adding security, 214
  - adding time, 214
  - AKA, 521
  - allow alias in, 213
  - auto-add for Fido, 519
  - auto-register in public, 176, 203
  - auto-rejoin, 169
  - auto-rejoin at login, 209
  - cleaning, 298
  - CMD.LST, 213
  - conference SysOp flag, 189
  - creating, 297
  - deleting, 165, 300
  - description of term, 10
  - deselect, 105
  - display news when joined, 179
  - e-mail, 538
  - echoing, see echo mail
  - editing, 201
  - expired access, 203
  - Fido type, 211
  - file directories, 416
  - flags, see conference flags
  - highest number, 164, 389
  - introduction file, 179, 205, 213
  - invalid, 301
  - joining, 81
  - jump to next, 97
  - junk, 538
  - last in, 358
  - lock-out user, 203
  - Main Board configuration, 201

- menu, 301
- menu file location, 147
- message base location, 204
- moving access between, 382
- name, 202
- options screen, 209
- origin information, 527
- PassThru, 519
- password if private, 203
- private, 202
- public, 202
- re-read PWRD file, 175
- read only, 212
- registering users, 299, 379
- removing access, 381
- restricting access, 300
- scanning all at login, 168
- searching by name, 81
- security level if public, 203
- selecting for reading, 105, 112, 203
- sharing files between, 216, 301
- skipping current, 98
- statistics (user) upon joining, 179
- template, 541
- type (public/private), 202
- type of netmail, 211
- UUCP names, 540
- viewing conference members, 210
- CONFIG.SYS
  - modifying for a network, 265
  - modifying for multitasker, 249
- configuration file
  - Fido, 514
  - PCBPack, 467
- configuration options
  - colors, 185
  - file transfers, 169
  - function keys, 186
  - limits, 183
  - logging options, 182
  - messages, 164
  - switches, 177
  - system control, 172
- confirm at logoff, 174
- confirm name at login, 175

- CONNECT environment switch, 25
- connect speed
  - overriding, 25
- connect string, 17, 182
- connections
  - max attempts, 152
- connections - monitor missed, 156
- continuous
  - see non-stop
- Control Panel
  - alarm, 284
  - change node status, 282
  - door inactivity timer, 284
  - event inactivity timer, 284
  - for OS/2, 278
  - general inactivity timer, 284
  - inactivity timer for restart, 284
  - inactivity warning, 283
  - launching nodes, 280
  - loading, 278
  - node limits, 279
  - restart node, 284
  - transfer inactivity timer, 284
- copy
  - entry in data file, 123
  - file for transfer, 171
  - file to another file directory, 432
  - filter, 439
  - message security level, 190
  - message to others, 167
  - status indicator, 19
- countdown
  - answering phone, 48
  - carrier detect, 149
- country
  - see also address
- COUNTRY.SYS, 141, 316
- CPU
  - brand of, 112
- crash mail
  - see Fido
- crash status, 529
- credit
  - byte ratio, 134
  - displaying balance, 506
  - file ratio, 134
  - for uploads, 170
- credit multiplier, 137

credit system  
    see accounting  
critical error, 42  
CSTR command line parameter, 17  
CTS, 32, 153, 155  
CTTY  
    see also graphics mode

---

## D

data bits, 157  
date  
    last date on, 29, 111  
    not changing, 125  
    see also file date  
    update in file directory,  
    422, 448  
date profile line, 423  
DBCS  
    see double byte characters  
DCE carrier speed, 32  
debit multiplier  
    see accounting  
debug  
    Fido calls, 516  
decoding files, 547  
DECOMP.BAT, 536, 545  
default color, 185  
default net, 516  
default protocol  
    see transfer protocol  
default zone, 516  
delay  
    during recycle, 154  
delete  
    conference, 165, 300  
    entry in data file, 123  
    file in file directory, 432,  
    434  
    filter, 440  
    line in file directory, 432  
    message, 82  
    status indicator, 19  
    tagged files from disk,  
    422  
demo accounts, 134  
DESC.SDI, 453  
description  
    see also door  
    see also file directory  
description of files  
    see file directory  
deselect conference  
    see also conferences

DESQview  
    configuring, 253  
    loading nodes at bootup,  
    250, 260  
    PIF files, 253  
    see also multitasking  
diagnostics  
    see also PCBDiag  
dial  
    Fido nodes, 515  
dialout, 152  
    failed connect, 529  
    force next call, 528  
    frequency, 532  
dialout string, 152  
DIFF file, 524  
DigiBoard, 243  
DIR.LST, 120, 209, 216, 415  
DIR display file, 208, 415  
DIR file  
    see file directory  
Directory Editor  
    commands, 431  
    filter, 438  
    navigating, 430  
    processing changes, 435  
    screen, 429  
disconnect  
    after download, 71  
    after upload, 109  
    caller, 33, 63  
    from system, 80  
disk cache, 249, 270  
display files  
    accounting, 198  
    after door, 229  
    base filename, 333  
    before commands, 131  
    colorizing, 330  
    command, 131  
    conventions, 333  
    graphics specific, 334  
    language specific, 333  
    node specific, 122  
    RIPscrip, 334  
    security specific, 333  
    substituting information,  
    336  
display money form, 193  
distribution  
    newsgroups, 537  
distribution list  
    see @LIST@  
DLPATH.LST, 121, 135, 144,

209, 216, 218, 415  
domain name, 537  
door  
    adding, 220  
    auto-login, 220  
    batch file name, 219, 220  
    charging, 502, 505  
    creating DOOR.SYS, 221  
    creating USERS.SYS, 221  
    debugging, 223  
    definition file, 207  
    description of, 219  
    description of term, 10  
    disabling, 230  
    display file prior to  
    running, 353  
    display file upon return,  
    229  
    DOS door under  
    PCB-OS2, 222  
    editing batch file, 222  
    environment variables,  
    224  
    errorlevel in  
    EVENT.BAT, 40  
    exit PCBoard to run, 221  
    fast shell, 221  
    loading, 87, 228  
    menu, 207, 220, 230  
    multiple node setup, 223  
    opening, 228  
    parameters, 87  
    passing parameters, 228  
    password protection, 172,  
    220  
    password upon return, 26  
    path to batch file, 221  
    returning from, 222  
    running non-door  
    applications, 219  
    security level to open, 220  
    shell or exit from  
    PCBoard, 221  
    stuffing text upon return,  
    229  
    swapping, 221  
    troubleshooting, 223  
DOOR.BAT, 37, 38, 40, 222  
DOOR.CMD, 222  
DOOR.SYS, 27, 221, 224, 228  
DOORS.LST, 207, 216, 220, 222,  
224, 228  
DOORS display file, 207, 220, 230  
DOORWAY, 59



DOORWAY mode, 77  
 DOS  
   executing commands  
     online, 60  
     from remote, 59  
 DOS prompt  
   by exiting PCBoard, 15  
   shelling from PCBFiler, 433  
   shelling from PCBoard, 33, 36, 174  
 double byte characters, 168  
 DOWNLOAD.TXT, 128  
 downloading  
   assigning password, 135  
   batch of files, 72  
   byte limit, 133  
   bytes per day, 132  
   charging, 196  
   disabling, 290  
   disconnect after, 71  
   editing files to download, 72  
   FREE files, 290  
   how to, 289  
   in status line, 31  
   limiting number of files, 133  
   local, 289  
   magnifying charges, 503  
   no bytes charged, 135  
   no bytes or time charged, 135  
   overriding protocol, 71  
   paths searched for, 209  
   protecting files, 305  
   security level, 134  
   specifying filename(s), 71  
   statistics, 30, 111  
   view a file, 145  
 drive size  
   see also free space  
 drop file  
   see also DOOR.SYS  
   see also PCBOARD.SYS  
   see also USERS.SYS  
 drop to dos  
   see exit to dos  
 DRVSETUP  
   see COMM-DRV  
 DSZLOG, 140  
 DTE command line parameter, 18  
 DTE port speed, 18, 32, 151  
 DTR, 155, 247

duplicate checking  
   Fido messages, 517  
   file directories, 419, 422, 435, 449  
   report, 418

---

**E**

e-mail  
   conference, 538  
   force name, 547  
   Internet, 535  
   see also messages  
   UUCP host, 537

earning  
   see also accounting  
   uploading, 196

echo mail  
   charging for, 196, 215  
   enabling, 211  
   entering message, 75  
   forcing, 211  
   last message exported, 215  
   see also Fido

edit  
   conferences, 201  
   door batch file, 222  
   file directories, 416  
   message, 96, 190, 192  
   moves file, 427  
   rules file, 426  
   user record online, 33

editor  
   graphics, 393  
   internal to PCBSetup, 122  
   message, see message editor  
   text, 393

empty security level  
   accounting system, 194, 364

EMS, 180  
 EMSI profile, 521  
 encrypt  
   user file, 176  
 ENCRYPT.EXE, 176, 485  
 ENDPCB, 37, 38, 267  
 entering message  
   aborting, 75  
   addressing, 73, 292  
   assigning password, 74  
   body, 78  
   charging for, 196, 215,

504  
   choosing message editor, 75  
   disallowing, 212  
   display file prior to, 353  
   for echoing, 75, 293  
   generic, 191  
   list of users, 74  
   message security, 74, 293  
   origin info, 212  
   password protection, 74  
   private, 74  
   public, 74  
   request return receipt, 293  
   routing, 75, 212, 293  
   saving, 76  
   security level required, 214  
   subject, 74, 292  
   to all users, 73  
   to security level, 73  
   to security level group, 73  
 environment size, 183, 250, 277  
 environment switches  
   Fido, 517, 532  
   using, 23  
 environment variables  
   disabling, 21  
   DOS windows under OS/2, 222  
   for doors, 224  
   PCB, 23  
   PCBDAT, 225  
   PCBDIR, 225  
   PCBDOOR, 228  
   PCBDRIVE, 224  
   PCBNODE, 282  
   PCBoard for OS/2, 490  
   PCBPORT, 282  
   using, 225  
 ERR command line parameter, 18  
 error  
   critical at load time, 42  
   modem reset, see also modem  
   error corrected connection, 17, 18, 25, 32, 140, 141  
   error correcting modem, 140  
   error message  
     getting FOSSIL information, 43  
     initializing modem, 43  
     loading PCBoard, 42  
 errorlevels

- from PCBoard, 39
  - UUXFER, 544
- ESC codes
  - in messages, 166
  - see also ANSI
- EVENT.BAT, 38, 40
- EVENT.CMD, 38
- EVENT.DAT, 161
- EVENT command line parameter, 18
- event timer, 162
- events
  - activating, 161, 302
  - adding, 302
  - batch file, 302
  - begin time, 302
  - days to execute, 302
  - disallowing uploads prior to, 162
  - end time, 302
  - errorlevel in BOARD.BAT, 40
  - front end programs, 18
  - last date executed, 303
  - location of batch files, 162
  - location of data file, 161
  - making all nodes go down, 304
  - moving files, 436, 448
  - multiple nodes, 276, 303
  - number, 302
  - running a PPE, 21
  - suspending activity, 162
  - type, 302
- exit to DOS
  - after current call, 30, 34, 40, 64
  - after each call, 178
  - after PPE runs, 42
  - DTR, 155
  - errorlevel in BOARD.BAT, 40
  - exiting PCBoard, 15
  - on missed connect, 42, 155
  - remote, 40, 59
- exit to OS
  - door execution, 221
- expedited event
  - see events
- expert mode
  - in user record, 111, 358
  - PCBFiler, 424, 433
  - tooggling, 113

- expiration date
  - see subscriptions
- expire
  - flag, 203
- EXPIRED display file, 147
- export
  - Fido, 515
  - frequency, 515
  - newsgroups, 539
  - packets, 516
- extension
  - compressed files, 145, 235
  - viewing files, 426
- external comm driver
  - see comm driver
- external protocol
  - see transfer protocol

---

**F**

- fast shell, 221
- FastComm modem, 153
- FAX
  - detect incoming call, 41
  - types supported, 41
- feature list, 2
- Fido
  - AKA, 520, 530
  - allow dial out, 515
  - archive type, 519, 523
  - area name, 530
  - area registration, 360
  - areafix, 522
  - areafix forwarding, 518
  - auto-add conferences, 519
  - bad packets, 522
  - batch file after call, 531
  - batch files, 531, 532
  - conference type, 211
  - configuration files, 514
  - crash, 529
  - crash mail, 516
  - dialout frequency, 532
  - dialout string, 152
  - duplicate checking, 517
  - EMSI profile, 521
  - enabling, 514
  - environment switches, 532
  - export, 515
  - external protocols, 532
  - force next call, 528
  - FREQ, 522, 525
  - high-ASCII filter, 531

- hold, 529
- importing, 514
- inbound packets, 521, 529, 532
- last message exported, 215
- logging level, 516
- lowest desired baud, 158
- max attempts, 152
- MSG, 517
- MSG files, 522
- net, 516
- node address, 520
- node configuration, 519
- odelist, 522, 524
- normal, 529
- origin, 527, 530
- outbound packets, 521, 529, 532
- PassThru, 519
- passThru, 518, 522
- phone number translation, 523
- poll a node, 528
- queue, 528
- redial, 152
- response messages, 518
- routing, 517
- secure netmail, 517
- see PCBFido, 27
- seen-by, 520
- SysOp, 517
- work directory, 522
- zone, 516
- FIDORECV.BAT, 532
- FIDORECV.CMD, 532
- FIDSEND.BAT, 532
- FIDSEND.CMD, 532
- FILE\_ID.DIZ, 109, 433, 452, 453
  - automatic extraction, 288
- file attachments
  - deleting, 473
  - downloading, 292
  - limiting size of in QWK packets, 112
  - location of, 205
  - security level required, 214
  - to message, 76
  - with the Internet, 542, 545, 547
- FILE command line parameter, 19, 119, 447
- file date



<ul style="list-style-type: none"> <li>moves file, 428</li> <li>newest file, 423</li> <li>oldest file, 423</li> <li>today's date, 423, 433, 436</li> </ul>	<ul style="list-style-type: none"> <li>in, 421</li> <li>insert line, 432</li> <li>join lines, 432</li> <li>locate filename, 419, 432</li> <li>locating files, 83</li> <li>locating new files, 85</li> <li>Main Board, 416</li> <li>menu, 208, 216, 218</li> <li>missing file scan, 418</li> <li>move files, 432</li> <li>moving descriptions, 422, 435</li> <li>moving files, 433</li> <li>moving files and descriptions, 422, 435</li> <li>multi-line descriptions, 434</li> <li>number, 79, 217, 416</li> <li>off-line, 417, 425</li> <li>picklist, 416</li> <li>private uploads, 191, 206</li> <li>processing changes, 435</li> <li>remove file, 431, 434</li> <li>renaming file, 434</li> <li>repeat description, 433</li> <li>searching for text, 115</li> <li>select file, 433</li> <li>show first line only, 421</li> <li>sort type, 217</li> <li>sorting, 418, 432, 449</li> <li>undo line, 432</li> <li>undoing last change, 417</li> <li>update file date, 422</li> <li>Uploaded By in description, 170</li> <li>uploads, 206</li> <li>viewing, 79</li> <li>viewing private uploads, 79</li> <li>viewing uploads, 79</li> </ul>	<ul style="list-style-type: none"> <li>downloading, 71</li> <li>filter, 439</li> <li>locate in file directory, 419</li> <li>locate on disk, 419</li> <li>on server, 263</li> <li>on workstation, 263</li> <li>relative reference, 122, 275</li> <li>sharing between conferences, 216</li> <li>specifying in PCBSetup, 121</li> </ul>
<ul style="list-style-type: none"> <li>file description <ul style="list-style-type: none"> <li>deleting, 422</li> <li>filter, 439, 440</li> <li>full description mode, 421</li> <li>import FILE_ID.DIZ, 433</li> <li>index file, 447</li> <li>location of file, 217, 416</li> <li>maximum lines, 183</li> <li>moving, 435</li> <li>multi-line descriptions, 434</li> <li>primary line mode, 421</li> <li>remove date profile line, 423</li> <li>remove Uploaded By, 423</li> <li>see also file directory</li> </ul> </li> </ul>	<ul style="list-style-type: none"> <li>file directory <ul style="list-style-type: none"> <li>adding files, 441</li> <li>adding files to, 218</li> <li>apply auto-move rules, 432</li> <li>attached subdirectory, 217</li> <li>checking validity, 120</li> <li>color definition file, 142, 428</li> <li>conferences, 416</li> <li>copy file, 432</li> <li>create file list, 418, 424, 448</li> <li>creating, 216</li> <li>definition file, 208, 216</li> <li>delete file, 432</li> <li>delete files, 434</li> <li>delete line, 432</li> <li>description of contents, 217, 416</li> <li>description of term, 10</li> <li>disabling, 218</li> <li>display file prior to, 353</li> <li>duplicate checking, 419, 422, 435, 449</li> <li>duplicate file scan, 424</li> <li>editing, 416, 429</li> <li>filter, 432</li> <li>format, 436</li> <li>hard disk subdirectory, 217, 416</li> <li>import description, 433</li> <li>including files not found</li> </ul> </li> </ul>	<ul style="list-style-type: none"> <li>file ratio <ul style="list-style-type: none"> <li>creating table, 374</li> <li>defining, 133</li> <li>giving credit, 134</li> </ul> </li> <li>file transfers <ul style="list-style-type: none"> <li>aborted transfers, 291</li> <li>batch vs single, 291</li> <li>in status line, 31</li> <li>logging, 128</li> <li>see downloading</li> <li>see uploads</li> <li>statistics, 30</li> </ul> </li> <li>file view <ul style="list-style-type: none"> <li>see viewing a file</li> </ul> </li> <li>filter <ul style="list-style-type: none"> <li>deleted, 440</li> <li>description, 439</li> <li>descriptons only, 440</li> <li>file directory, 432</li> <li>file on disk only, 441</li> <li>filename, 439</li> <li>high-ASCII characters, 177, 538</li> <li>move/copy, 439</li> <li>new user questions, 177</li> <li>non-selected, 440</li> <li>selected, 440</li> <li>unmarked, 440</li> <li>using, 438</li> </ul> </li> <li>fixed font, 285</li> <li>flagging files for download, 79, 80, 83, 85, 115, 290</li> <li>flags <ul style="list-style-type: none"> <li>conference, 203</li> <li>conference SysOp, 189</li> <li>expire, 203</li> <li>mail waiting, 169</li> <li>register, 203</li> <li>scan, 203</li> </ul> </li> <li>floating nodes <ul style="list-style-type: none"> <li>see node number</li> </ul> </li> </ul>
	<ul style="list-style-type: none"> <li>file existence <ul style="list-style-type: none"> <li>skip verification, 417, 421</li> <li>verifying, 417, 421</li> </ul> </li> <li>file format <ul style="list-style-type: none"> <li>file directory, 436</li> </ul> </li> <li>file grading, 544</li> <li>file handles <ul style="list-style-type: none"> <li>number currently open, 30</li> </ul> </li> <li>file maintenance <ul style="list-style-type: none"> <li>see PCBFiler</li> </ul> </li> <li>file names <ul style="list-style-type: none"> <li>absolute reference, 121, 275</li> <li>checking validity, 120</li> </ul> </li> </ul>	

flow control  
     disabling, 153  
     hardware, 153  
     software, 30, 153  
 font  
     characteristics, 285  
 force  
     echo flag, 211  
 force password change, 184  
 force reading, 134  
 foreground  
     priority, 253  
 foreign language  
     see language  
 form feed, 34, 36  
 formatting  
     @ macros, 339  
 forum  
     see conferences  
 forward message, 294, 546  
 FOSSIL  
     communicating with  
         PCBoard, 246  
     installing, 247  
     OS/2 driver, 222  
     see also COMM-DRV  
 FREE files  
     see downloading  
 free space  
     checking, 433  
     checking before  
         uploading, 171  
     copying files from slow  
         drive, 171  
     required for uploading,  
         172  
 FREEFILE, 135  
 FREETIME, 135  
 FREQ  
     allowed nodes, 526  
     deny, 527  
     magic name, 526  
     requesting a file, 528  
     response files, 522  
     response message, 518  
     restrictions, 525  
     send a file, 528  
 frequency  
     export Fido, 515  
     scan outbound packets,  
         516  
 front-end program  
     error-correcting calls, 18  
     error loading, 45

    passing speed, 17  
     running events, 18  
 FSEC, 134, 235, 503  
 full-screen editor  
     see message editor  
 full description mode, 421, 433  
 full record updating, 112, 173  
 full save (PCBSetup), 120  
 function keys  
     defining, 186  
     while user logged on, 33

---

## G

generic message  
     see entering message  
 goodbye  
     see also disconnect  
     see also logoff  
 graphics mode  
     ANSI, 84  
     changing, 84  
     CTTY, 84  
     default at login, 178  
     disabling, 178  
     for local SysOp logins,  
         125  
     force non-graphics mode,  
         178  
     in status line, 29  
     prompt at login, 172  
     RIPscrip, 84  
     specific data files, 334  
 group chat  
     see chatting  
 GROUP display file, 147  
 group password  
     see message security  
 GTEK, 243  
 guest user  
     see demo accounts

---

## H

handle  
     in group chat, 181  
     see alias  
 hangup  
     see disconnect  
 hard disk subdirectory  
     including files found in,  
         421  
     see also file directory  
 hardware requirements, 3

HDRKEYS.LST, 536, 546  
 header  
     see also script  
     questionnaire  
 help  
     files, 331  
     for custom commands, 81  
     for PCBoard commands,  
         81  
     internal editors of  
         PCBSetup, 123  
     location of files, 130  
 help level  
     see expert mode  
 high-ASCII filter, 177, 531, 538  
 highest conference number  
     see conferences  
 hold status, 529  
 HOLIDAYS.CFG, 195  
 home  
     directory, 225  
     drive, 224  
 home phone  
     see phone numbers  
 host  
     e-mail, 537  
     newsgroups, 537  
 HUB6, 243

---

## I

import  
     force name, 547  
     from the Internet, 545  
     newsgroups, 539, 545  
 importing  
     Fido mail after a call, 514  
     frequency, 515  
     text file, 34, 36  
 inactivity  
     door timer, 284  
     event timer, 284  
     file transfers, 284  
     logging off, 183  
     minutes, 284  
     warning, 283  
 inbound packets  
     location of, 521  
     process, 529, 532  
 include files  
     see %filename  
 index  
     download files, see  
         MAKEIDX

- file descriptions, 447
- see message index
- see user file
- initial welcome screen
  - see welcome screen
- initialization string
  - carriage returns in, 151
  - pausing, 151
  - see also modem
- insert
  - entry in data file, 123
  - line in file directory, 432
- installation
  - new install, 12
  - planning, 11
  - upgrading from prior version, 12
- internal protocol
  - see transfer protocol
- Internet
  - e-mail, 535
  - e-mail conference, 211
  - junk conference, 211
  - last message exported, 215
  - long addressee names, 211, 547
  - see also Usenet
  - Zmodem, 487
- INTRO display file, 179, 205, 213
- invalid conferences, 301
- IRQ
  - COMM-DRV, 245
  - configuring, 150
  - conflicts, 271
  - environment switch, 25
  - overriding, 25
  - sharing, 246
  - sharing on MCA, 157
- ISDN, 25
- ISDN environment switch, 25

## J

- join description lines, 432
- joining conference
  - display user statistics, 179
  - menu, 81, 147
  - quick join, 81
  - re-reading PWRD file, 175
  - searching by name, 81
  - see also conferences
- junk conference, 547

- justification
  - displaying @ macros, 339

## K

- KEY command line parameter, 20
- keyboard commands
  - call waiting screen, 14, 16
  - conference selection screen, 202
  - Directory Editor, 430
  - DRVSETUP, 242
  - PCBSetup internal editors, 122
  - see also function keys
- keyboard stuffing
  - adding as a command, 142
  - CMD.LST, 142
  - in a function key, 186
  - local logins, 20
  - returning from door, 229
- keyboard timeout, 183
  - disabling, 183
- kill
  - see delete

## L

- LAN see also network
- language
  - changing, 83
  - country fonts, 317
  - country support, 316
  - defining, 141, 316
  - display file prior to listing, 354
  - double byte characters, 168
  - enabling, 173
  - error loading, 44
  - extension, 141, 316
  - name, 141
  - replace listing, 354
  - specific display files, 333
  - using country info, 316
  - using country info., 141
  - writing to caller log, 318
- last date on
  - in status line, 29
- limit
  - download bytes, 133
  - files to download, 133
- line editor

- see message editor
- local login
  - as SysOp, 15, 35
  - as user, 15, 20, 35
  - difference in operation, 35
  - excluding from statistics, 178
  - graphics mode for SysOp, 125
  - shell to DOS, 174
  - stuffing keyboard, 20
  - SysOp next, 34
- local password, 124
- local subdirectory, 268
- local transfers
  - see also downloading
  - see also uploads
- LOCALON command line parameter, 20, 35
- locate files
  - by date, 79
  - by searching for text, 79
  - in all DLPATH.LST files, 419
  - in file directories, 79, 83, 419, 432
  - on disk, 419
  - searching description, 420
- locating user
  - see user record
- lock-out user, 33, 59, 203
- lock lines
  - during file transfer, 140
- locking port
  - see baud rate
- logging
  - accounting charges, 196
  - caller number, 182
  - connect string, 182
  - Fido activity, 516
  - file transfers, 128
  - security level, 182
  - to printer, 15, 33
  - UUCP activity, 536
- login
  - allow one name users, 174
  - as SysOp - next user, 30
  - charging, 196, 505
  - confirming city/state, 175
  - default graphics mode, 178
  - description of term, 10
  - display news each time, 179

- display statistics, 179
- graphics prompt, 172, 178
- locally as SysOp, 15
- locally as user, 15, 20, 35
- multiple users, 134
- new bulletin scan, 180
- password, 10
- password failure, 174
- remotely, 10
- scanning for messages, 166
- screen, 148
- script questionnaire, 148
- security files, 131
- see also local login
- skipping news file, 172
- time, 30
- to previous conf., see auto-rejoin
- welcoming screen, 146

logoff

- other node, 63
- questionnaire, 148
- screen, 148
- warning, 174

logon

- see login

long message headers

- see message headers

long TO names

- see Internet

lower-case, 431

LPT

- see printer port

## M

Macintosh, 169

macros

- see @ macros
- see @X color codes

magic name, 526

magnify charges

- see also downloading
- see also uploads

mail

- see also Fido
- see also messages
- see also QWK

mail scan

- see messages

mail waiting flags, 169

Main Board

- configuration, 201

- file directory, 416
- forcing comments into, 167

main menu

- displaying, 85
- see user commands

maintenance

- backing up, 307
- download files, 306
- logs, 306
- packing, 307

MAKEIDX

- creating index, 457
- creating path file, 456
- syntax, 456
- using index in PCBoard, 457
- with hard drives, 457

mark for download

- see flagging files for download

marking files

- see flagging files

maximum

- conference number, 164
- lines in file description, 183
- lines in message editor, 165
- lines in scroll-back buffer, 183
- messages in capture, 112
- messages in capture file, 165
- messages per conference, 165
- size of file attachment, 112

MCA bus

- sharing IRQs, 157

memorize message

- reading, 98, 105
- setting, 97

memory

- swapping, 60, 180
- total free, 30

memory address

- see also card segment

memory manager, 249

menus

- adding as a command, 142
- adding to the system, 323
- CMD.LST, 142

- creating, 318
- defining options, 321
- display file, 319
- door, 230
- example, 325
- file directory, 218
- help file, 319
- parameter passing, 325
- parameters, 323
- prompts, 320
- sample, 325
- stacking options, 325
- SysOp (BRDS), 204
- title, 319
- user (BRDM), 204

message base

- @ macros in, 190
- blocks, 204
- create if missing, 168
- location of, 204
- packing, 307, 467
- renumbering, 470
- usage report, 470

message editor

- 79 character lines, 112, 359
- choosing, 75, 112, 293, 359
- commands, 75
- full-screen, 77
- line-editor, 78
- maximum lines in, 165

message header

- choosing type, 112
- color, 185
- editing, 191, 294
- listing, 54
- long, 100
- short, 100
- status codes, 55

message index

- old format, 28, 204, 213
- regenerating, 52, 469, 470, 471

message scan

- scan all conference at login, 168
- see also messages

message security

- changing, 191
- disallow private, 212
- entering message, 74
- force public, 212
- group password, 74

password protection, 74		replace with PPE, 480
private / receiver only, 74, 97, 210		syntax, 477
private charge, 196		MNP, 140
public, 74, 99		MNU files
messages		see menus, 318
automated response, 546	212	modem
bounced, 546	overriding address, 542	answer string, 26, 152
capture charge, 196	pack-out date, 191	delay during recycle, 154
capture file name, 165	protecting, 191	dialout string, 152
capture limit, 112	public, 210	failing to answer, 47
capturing, 92, 296	read-only mode, 97	initialization string, 151
capturing - limiting	read status, 190	off-hook during recycle, 154
number of, 165	read waiting mail, 169	off-hook string, 152
capturing - stopping	reading, 91, 292	reset during recycle, 154
clock, 166	redisplaying, 95	reset error, 41, 48, 151
capturing current, 94, 296	replying to see replying to message	reset while idle, 154
carbon copying, 167, 215	routing information, 212	modem description, 10
clearing between each read, 112	saving, 293	modem reset error
clearing screen between, 358	scanning, 54, 88	see modem
copying, 96	scanning at login, 166, 168	moderated
deleting / killing, 82, 97	scroll multi-screen, 112	newgroup, see also Usenet
determining messages to read, 91	searching for text, 99, 107, 295	moderator, 537
direction to read, 92	searching for user, 295	list, 540
disable scanning at login, 166	security to copy or move, 190	modify user record
disallow private, 212	see also reading messages	while online, 33
duplicate checking, 517	short message header, 98, 100, 359	money
editing, 190, 191, 192	strip high-ASCII, 538	displaying, 506
editing content of, 96, 294	thread reading, 99	MONO environment switch, 26
entering, 73, 211, 292	totals in status line, 31	monochrome
entering charge, 196	undeleting, 53	monitor display, 26
entering to SysOp, 71	unprotecting, 191	move
ESC codes, 166	validating addressee, 167	file, see moves file
file attachments, see file attachments	minimize	file between directories, 432
force public, 212	OS/2 windows, 187	file description, 422, 435
forced reading, 134	minutes	files and descriptions, 422, 433
forcing echo flag, 211	charging for, 215, 221, 501	files offline, 434
forcing private, 210	charging for, 196	filter, 439
forwarding, 294, 546	left this call, 30	message security level, 190
generic message, 191	see also time	scheduled files, 428, 448
header information, 546	used this call, 30	status indicator, 19
header listing, 54	missed connection	
last exported, 215	errorlevel, 42	moves file
last message read, 98	monitoring, 156	default filename, 425
listing, 76	see also exit to DOS	editing, 427
long message header, 97, 100, 359	MKPCBMNU, 318	MSG, 517
moving, 97	MKPCBTXT	enable, 532
origin information, 159,	description, 477	location of, 522
	keyboard commands, 478	MSGs
	PCBTEXT file to edit, 478	see message base
	replace record with text file, 479	multi-part messages, 542, 547
	replace with menu, 480	multiple languages

see language  
 multiple logins, 134  
 multiple nodes  
   answers to common questions, 274  
   door batch files, 223  
   enabling, 159  
   loading SHARE, 44  
   modifying DOORWAY, 274  
   multitasker vs network, 239  
   multitasking, see multitasking  
   network, see network  
   node number, 159  
   phone lines, 275  
   restrict access to a node, 272  
   see also multitasking  
   see also network  
   system requirements, 248  
   what is required, 238  
 multiplier  
   see also accounting  
 multiport driver  
   error loading, 45  
   FOSSIL interface, 43  
 multiport version  
   configuring, 248  
   installing, 241  
 multitasking  
   adding additional nodes, 251  
   description, 10  
   loading nodes at bootup, 260  
   loading upon reboot, 250  
   overview, 238  
   PCBSetup modifications, 251  
   see also multiple nodes  
   using DESQview, 253  
   using OS/2, 257  
   using Windows, 255

## N

name separator, 538  
 naming your system, 159  
 net  
   see also Fido  
 NETBIOS, 261  
 netmail

secure, 517, 522  
 see network mail  
 NetWare  
   environment switch, 26  
   special considerations, 271  
 network  
   adding dial-in nodes, 266  
   adding local nodes, 267  
   configuring drives, 263  
   location of PCBoard files, 262  
   multitasking nodes, 266  
   Novell considerations, 271  
   optimizing setup of, 270  
   overview, 238  
   planning your equipment, 262  
   see also multiple nodes  
   storing files on server, 263  
   storing files on workstation, 263  
   system requirements, 261  
   testing compatibility, 261  
   testing local nodes, 269  
   timeout on errors, 160  
   types supported, 261  
 network mail  
   see also echo mail  
   see also Fido  
   see also QWK  
   type of, 211  
 new files, 79, 83, 85  
 new users  
   asking questions, 308  
   auto-registering in conferences, 176, 204  
   characters allowed in questions, 177  
   delay during registration, 204  
   disabling, 173, 308  
   expiration date, 308  
   refuse to register, 192  
   script questionnaire, 147, 175  
   security level, 192, 308  
   skipping alias question, 175  
   skipping protocol question, 175  
 new users  
   introduction, 146

NEWASK questionnaire, 147, 173, 175, 230  
 newgroup  
   see also Usenet  
 NEWREG answer file, 148  
 news  
   display when new, 179  
   displaying, 86  
   location of, 205  
   skipping at login, 172  
 newsgroups  
   distribution, 537  
   export, 539  
   import, 539  
   moderated, 537  
   see also Usenet  
   update, 539  
   UUCP host, 537  
 NEWUSER, 192  
   display file, 146  
 next user - SysOp, 30, 34  
 NMT environment switch, 26  
 NOANSI display file, 147  
 NOATA environment switch, 26  
 NOCONF environment switch, 27  
 node  
   AKA address, 520, 530  
   allow dial out, 515  
   allow Fido export, 515  
   allow FREQ, 526  
   automatically launching, 280  
   changing status, 282  
   defining number, 251  
   door definition for each, 228  
   Fido address, 520  
   Fido configuration, 519  
   foreground when paged, 284  
   limits for Control Panel, 279  
   polling, 528  
   process Fido packets, 515  
   restarting, 284  
 NODE.BAT, 493  
 NODE environment switch, 27  
 node number  
   broadcasting a message, 65  
   clearing, 43, 484  
   defining, 159  
   description of term, 10  
   floating, 42, 159, 267, 484



- in status line, 29
  - overriding, 27
- node subdirectories, 251
- nodelist
  - compile, 529
  - compiling, 525
  - DIFF file, 524
  - location of, 522
- NOENV command line parameter, 21
- non-graphics mode
  - forcing, 178
- non-stop
  - processing file directories, 422
- normal status, 529
- notes in user record, 364, 400
- NOTIME, 135
- Novell
  - see NetWare
- novice mode
  - see expert mode
- number of calls
  - by node, 16
  - by system, 16
  - by user, 30
  - resetting, 16
  - see caller number

## O

- off-hook
  - after UUCP transfer, 544
  - during recycle, 154
  - string, 152
- off-line
  - file directory, 417, 423, 425
  - moving files, 434
- off-line mail
  - see QWK
- OLDINDEX environment switch, 28, 204, 213
- one name users, 174
- online help
  - see help
- open door
  - see door
- opening baud rate
  - see baud rate
- organization, 535
- origin
  - default, 530
  - effective in what

- conferences, 527
- messages, 159, 212
- OS/2
  - AUTOEXEC.BAT, 222
  - batch files, 490
  - Control Panel, 278
  - DOS doors, 222
  - environment variables, 222, 490
  - FOSSIL driver, 222
  - loading nodes at bootup, 260
  - minimize windows, 187
  - PCBoard communicating with, 247
  - priority, 187
  - scheduler, 187
  - see also multitasking
  - unable to access driver, 43, 46
  - using comm driver, 28
  - VMODEM, 278, 281
- OS/s
  - USERNET.XXX
  - updating, 284
- OS environment switch, 28
- outbound packets, 517
  - create MSG, 517
  - frequency of scan, 516
  - location of, 521
  - readdress, 529
  - scan for, 529, 532
  - type of, 519
- output
  - see also capture
  - see also printing
- overlay
  - see OVLSIZE
- overruns
  - see COM port
- overwrite file
  - PCBFile, 424
  - uploads, 191
- OVLSIZE
  - buffer size, 486
  - syntax, 486

## P

- packet switch network, 25, 28, 155
- packets
  - see also bad packets
  - see also inbound packets
  - see also outbound packets

- packing messages
  - PCBPack, 307, 467
  - while online, 52
- packing users
  - System Manager, 307, 368
  - while online, 58
- PAD, 155
- page bell
  - active hours, 86, 184
  - status, 30
  - turning on/off, 15, 33
- page length
  - in user record, 111, 358
  - modifying while online, 87
- paging SysOp, 31, 86, 284
- parameters
  - see also door
- parity, 157
- PassThru, 519
- passThru
  - enable, 518
  - location of, 522
- password
  - call waiting screen, 124
  - changing online, 112
  - comment on failure, 174
  - conference join, 203
  - days until forced change, 184
  - door, 220
  - downloading file(s), 135
  - exiting PCBoard, 124
  - expiration date, 362
  - for logging in, 10
  - forcing change, 397
  - in status line, 31
  - in user record, 358
  - message protection, 74
  - minimum length, 184
  - previous, 362
  - PSA, 397
  - returning from door, 26, 172
  - uploading file(s), 137
  - warning days before changing, 184
- path
  - adding \PCB to, 250
  - door batch file, 221
  - download-checking validity, 121
  - downloads, 209, 216, 218

PCBSetup-checking validity, 120 specifying in PCBSetup, 121	REFRESH.BAT, 457 restricting access, 448, 449 rules, see rules file running remotely, 60 status indicators, 429 viewing a file, 426	capture file, 468 command line parameters, 468 configuration file, 467 deleting messages, 472 description, 467 duplicate checking, 468, 473 help, 469 indexing, 469, 470, 471 kill backup files, 469 minimal display, 468, 470 PCBOARD.DAT location, 469 renumbering, 470 selecting message bases, 468 syntax, 467 timeout value, 471 uppercase subjects, 471 usage report, 470
pay-as-you-go example, 509 explanation, 499 initializing account, 499	PCBFILER.DEF, 142, 252 PCBFILER.MOV, 425 PCBFILER.RLS, 425 PCBFILES.LST, 418, 448 PCBML.DAT, 44, 141 PCBModem initializing modem, 464 loading, 463 selecting a modem, 463 troubleshooting, 464	PCBPASS.TXT, 495 PCBPORT variable, 282 PCBPROT.DAT, 46, 139, 252 PCBSetup checking configuration, 120 command line parameters, 119 exiting, 120 loading, 16, 118 multitasking modifications, 251 running remotely, 60 specifying PCBOARD.DAT, 119
PC-COM, 243 PCBCMPRS.BAT, 493 PCBCP.LOG, 284 PCBDAT variable, 21, 225 PCBDESC.EXE, 452 PCBDescribe add date profile line, 423 description, 452 errorlevels, 453 installing, 452 reserved DOS words, 452	PCBMoni clearing a node, 43 command line parameters, 465 description, 465 keyboard commands, 465 loading, 16, 34 modifying a node record, 465 syntax, 465	PCBSM see System Manager, 356 PCBSTATS command line parameters, 475 syntax, 475 updating statistics, 475 viewing statistics, 476
PCBDiag, 261 PCBDIR variable, 21, 225 PCBDOOR.TXT, 229 PCBDOOR environment variable, 228 PCBDOS.BAT, 490 PCBDRIVE variable, 21, 224 PCBEdit answers to common questions, 462 command line parameters, 458 keyboard commands, 461 loading, 458 macros, 460 using, 461	PCBNDX see user file PCBNLC.EXE, 525 PCBNODE variable, 21, 224, 282 PCBNum, 466 PCBoard command line parameters, 17 error message when loading, 42 loading, 14 multiport version, 248 quitting to DOS, 15 returning from door, 222 using different PCBOARD.DAT, 19 will not answer, 47 with front-end program, 17	PCBSTATS.DAT, 128 PCBSWAP.\$\$\$, 129 PCBTEST.BAT, 170, 495 PCBTEXT files editing, 330, 477, 478 location of, 129 menus, see MKPCBTXT PPE, see MKPCBTXT pre-loading, 180
PCBFAIL.TXT, 495 PCBFIDO environment variable, 517, 532 PCBFido disabling, 27 see Fido PCBFiler backup subdirectory, 425 color definition file, 252 command line parameters, 446 defaults, 420, 424 expert mode, 424 filter, 438 load directly to editor, 447 loading, 16, 34, 415 menu, 416 move file, see moves file	PCBOARD.DAT, 19, 121, 389, 447 PCBOARD.EXE, 37 PCBOARD.SYS, 224, 228, 267 PCBOARD2.EXE, 37 PCBOARDM.EXE, 37 PCBPack caller log, 469	

- special characters, 479
- text file, see MKPCBTXT
- unable to open, 43, 45
- using menus, 325
- PCBVIEW.BAT, 145, 496
- PCQWK.BAT, 494
- PCUSENET files, 547
- peak time
  - charging, 196, 501
  - days of week, 195
  - disabling by date, 195
  - see also accounting
  - time of day, 194
- per minute
  - see charging
- per use
  - see charging
- phone line
  - making busy, 15
- phone numbers, 358, 387
  - changing online, 112
  - prefix, 524
  - suffix, 524
  - translation, 523
- planning
  - installation, 11
- poll a node, 528
- PORT environment switch, 28
- port number
  - see COM port
- POSTCALL.BAT, 531
- POSTCALL.CMD, 531
- postmaster, 546
- PPE
  - adding as a command, 142, 327, 328
  - as a script questionnaire, 231, 232
  - at login, 148
  - CMD.LST, 142
  - exit to DOS after running, 42
  - places to install, 331
  - replacing PCBTEXT entry, 480
  - run from command line, 21, 22
  - running in an event, 21
  - SysOp command, 65
  - using in a function key, 186
- PPE command line parameter, 21
- pre-loading
  - CNAMES, 180

- PCBTEXT, 180
- pre-pay
  - example, 510
  - explanation, 499
  - initializing account, 499
- PREEDIT, 353
- PREFILE, 353
- prefix, 524
- PREML, 354
- PREOPEN, 353
- PREPROC.BAT, 532
- PREPROC.CMD, 532
- PREPROT, 353
- PRESTAT, 353
- PREVIEW, 353
- primary description
  - line, 430, 437
  - mode, 421, 433
- printer port
  - for PCBoard, 159
  - for System Manager, 392
- printing
  - capturing output, 34, 36
  - form feed, 34, 36
  - log - turning on/off, 15, 33
- priority
  - OS/2, 187
- private conferences
  - configuring, 202
  - password to join, 203
- private messages
  - see message security
- private node
  - see closed board
- private uploads
  - forcing all uploads, 210
  - location of description file, 206
  - location to store files, 206
  - security to view, 191
  - sort type, 206
- processing file directory, 435, 436, 448
- promote to batch
  - see batch transfers
- prompt file
  - see PCBTEXT files
- proportional font, 285
- protecting
  - downloads, 134
  - uploads, 136
- protocols
  - see transfer protocol

- PSA
  - accounting, 498
  - adding, 390, 395
  - address, 396
  - alias, 395
  - caller statistics, 398
  - description, 394
  - listing, 390
  - notes, 400
  - password changing, 397
  - removing, 391, 401
  - verification, 398
  - viewing, 401
- public conference
  - configuring, 202
  - security level required, 203
- public messages
  - see message security
- public newsgroup
  - see also Usenet
- public uploads
  - allowing, 210
  - location of description file, 206
  - location to store files, 206
  - sort type, 205
- PWRD file
  - editing, 132
  - location of, 131
  - re-read on conference join, 175

---

## Q

- questionnaire
  - see script questionnaire
- queue
  - delete record, 529
  - view/modify, 528
- quick join conference
  - see joining conference
- quick message scan, 88
  - at login, 168
  - see also messages
  - status codes, 90
- quick save (PCBSetup), 121
- quoting message
  - see replying to message
- QWK
  - batch files, 494
  - downloading packet, 91, 98
  - limiting size, 112

network mail, 91  
 packet name, 166  
 uploading replies, 91  
 user command, 90

---

## R

ram disk, 130, 249  
 ratio
 

- calls to msgs., see, account ratios
- dl to message, see account ratios
- see also account ratios
- see file ratio and byte ratio
- ul or msgs to calls, see account ratios

RDPCBTXT, 480

read-only
 

- conferences, 212

read status
 

- see messages

reading messages, 91
 

- charging, 196, 215, 504
- clearing screen between, 112
- direction, 95
- display file prior to, 353
- forcing, 134
- message number, 95
- read-only mode, 97
- read status, 190
- redisplaying, 95
- return receipt, 191
- scroll multi-screen messages, 112
- security to read all mail, 190
- security to read SysOp comments, 189
- show conference INTRO file, 213
- when mail waiting at login, 169

READSYS command line
 

- parameter, 21

receiver only messages
 

- see message security

records
 

- in bulletins, 235

recovering killed message, 53

recycle node, 16, 30, 34, 41, 64, 154

redial

Fido, 152  
 when busy, 544

redisplay
 

- bulletin menu, 68
- conference menu, 81
- file directory menu, 79
- in message editor, 36
- last command, 66
- main menu, 85
- message, 95

REFRESH.BAT, 457

refuse to register, 192

register
 

- automatically in public confs., 176
- flag, 203

registration edits
 

- disabling, 177

relative naming, 122

remote
 

- exit to DOS, 40, 59
- login, 10

REMOTE.BAT, 37, 38, 40

REMOTE.CMD, 38

REMOTE.SYS, 37, 59, 496
 

- DOORWAY, 274

remove file
 

- description, 434
- keyboard command, 431
- status indicator, 19

rename file, 434

renumbering message base, 53

REP
 

- see QWK

repeat
 

- description line, 433

replying to message, 98, 102
 

- automated email response, 546
- quoting original, 76, 102

report
 

- diagnostic, 392
- duplicate files, 418
- missing files, 418
- similar files, 419
- user listing, 370

reset
 

- modem after every call, 154
- modem while idle, 154
- statistics, 16

resetting modem
 

- error, 151

response messages, 518

restart
 

- node, 284

return receipt
 

- requesting, 75
- security level required, 214
- security to view, 191

RFC-822, 542

ring detect, 156

rings
 

- number before answering, 156

RIPscrip
 

- disabling, 27
- display files, 334
- enabling, 84
- see also graphics mode

root, 546

routing message
 

- inbound Fido, 517
- see entering message

RTS
 

- disabling, 153
- disabling during disk writes, 153
- external protocols, 140
- in null-modem cable, 155

rules file
 

- apply to file directory, 432, 446
- creating, 442
- default filename, 425
- editing, 426
- how a rule is selected, 442
- maintaining, 445
- user more than one, 444

RUNPPE command line
 

- parameter, 22

---

## S

satellite feed, 536, 547  
 saving configuration
 

- PCBFiler, 420
- PCBSetup, 120

saving message
 

- see entering message

scanning
 

- conferences, 203
- Fido packets, 515
- messages, 54

scheduled moves
 

- processing, 428, 448
- see moves file

screen blanker, 16, 177  
 screen display  
     3-minute screen saver, 177  
     forcing color, 24  
     forcing monochrome, 26  
     snow, 179  
     turning on/off, 16, 33  
 screen length  
     see page length  
 screen saver  
     see screen blanker  
 screening uploaded files  
     see private uploads  
 SCRIPT.LST, 121, 208, 231  
 SCRIPT display file, 234  
 script questionnaire  
     answering, 105, 233  
     at login, 148  
     at logoff, 148  
     checking validity, 121  
     comment line, 232  
     creating, 231  
     definition file, 208  
     disabling, 233  
     for new users, 147, 175  
     header, 231  
     menu, 208, 234  
     reading responses, 233  
 SCRIPTS display file, 208  
 scroll  
     multi-screen messages, 112  
 scroll-back buffer  
     accessing, 36  
     maximum lines in, 183  
 searching for text  
     bulletins, 68, 235  
     caller log, 51, 63  
     creating Boolean search, 311  
     file directories, 115, 420, 433  
     messages, 99, 107, 295  
     user list, 110  
 secondary description line, 430, 437  
 secure netmail, 517, 522  
 security file  
     see PWRD file  
 security level  
     @ macros in message base, 190  
     accounting enabled, 498

adjust by downloads, 374, 403  
 adjust by range, 372  
 adjust by ratio, 373, 402  
 adjust by uploads, 373, 403  
 adjusting group of users, 372, 410  
 auto-login door, 220  
 batch transfers, 192  
 broadcasting message, 190  
 changing to expired level, 378, 403  
 copying or moving messages, 190  
 crash mail, 516  
 decreasing temporarily, 34  
 defining, 132  
 direct mail, 516  
 display files, 131  
 door, 220  
 downloading, 134  
 edit message, 192  
 edit message headers, 191  
 editing all messages, 190  
 entering message, 214  
 entering message to, 73  
 expired, 310  
 file attachments, 214  
 generic messages, 191  
 in caller log, 182  
 in status line, 30  
 in user record, 111, 357, 358  
 increase when joining, 214  
 increasing temporarily, 34  
 message security, 191  
 new users, 192  
 overriding slowest carrier speed, 158  
 overwrite files, 191  
 public conference, 203  
 read all mail, 190  
 return receipt, 191, 214  
 specific BLT.LST, 207  
 specific DIR.LST, 209  
 specific display files, 333  
 specific DLPATH.LST, 209  
 specific DOOR.LST, 207  
 specific SCRIPT.LST, 208  
 SysOp commands, 189

SysOp upgrade -  
     temporary, 33  
     to keep when packing, 59  
     user commands, 192  
     view private uploads, 191  
     viewing a file, 28  
     when empty, 194, 364  
 security login files  
     see login  
 security level  
     uploading, 137  
 seen-by  
     see Fido  
 select  
     all files, 432  
     current file, 433  
     filter, 440  
 select conferences, 112  
     see conferences  
 select files  
     status indicator, 19  
 serial port  
     see also COM port  
 server, 238, 262  
 session  
     enabling for security level, 134  
     minutes left, 30  
     minutes used this call, 30  
     time limit, 174, 525  
 settings  
     changing while online, 112  
     see also statistics  
 SHARE.EXE, 44, 159, 250, 261  
 sharing IRQs, 246  
 sharing PCBOARD.EXE, 251  
 sharing violation, 251, 276, 277, 436  
 shell to DOS  
     disable, 448  
     enable, 174, 448  
     environment size, 183  
     from local keyboard, 33, 36, 174  
     from PCBFiler, 433  
     swapping, 180  
 shell to OS  
     door, 221  
 short message headers  
     see message headers  
 similar files report, 419  
 slave cards, 160  
 sliding event

- see events
- slow drives
  - batch file, 171
  - defining, 171
- snow
  - see screen display
- software requirements, 3
- sort
  - file directory, 217, 418, 432, 449
  - private uploads, 206
  - uploads, 205
- Soundex search, 27
- spool directory, 536, 547
- starting balance
  - see accounting
- STARTPCB.CMD, 281, 282
- state
  - changing online, 112
  - confirming at login, 175
- statistics
  - call-waiting screen, 16
  - conference join, 179
  - data file, 128
  - display file prior to user stats, 353
  - exclude from local login, 178
  - file transfers, 111
  - in user record, 362
  - PSA, 398
  - replace user statistics, 354
  - resetting, 16
  - updating, see PCBSTATS
  - user, 110, 179
- status codes
  - see quick message scan
- status indicators
  - Directory Editor, 429
- status line
  - default view, 29
  - during file transfer, 140
  - switching views, 29
- stop bits, 157
- street
  - see address
- strip
  - high-ASCII, 538
- stuffing
  - see also keyboard stuffing
- sub-port, 244
- sub domain, 538
- subcommands, 50
- subject

- see entering message
- submenus
  - see menus
- subscriptions
  - enabling, 163, 309
  - expiration date, 31, 111, 309, 357, 384
  - expired level default, 163
  - expired security, 310
  - length of default, 163
  - notification of expiration, 311
  - warning of expiration, 147, 164, 310
- suffix, 524
- support
  - see also technical support
- suspending activity
  - prior to event, 162
- swapping
  - T, 181
  - during shell operation, 180
  - location of swap file, 129
  - memory available, 60
  - running a door, 221
- SysOp
  - using real name, 124
  - description of term, 10
  - graphics mode for local logons, 125
  - name, 123
  - protecting account, 305
  - see also conference SysOp
- SysOp chat
  - see chatting
- SysOp commands
  - see commands
- SysOp menu
  - see commands
- SysOp privilege
  - temporary upgrade, 189
- SysOp privileges
  - level given, 189
  - see also conference SysOp
  - temporary, 33, 189
- SysOp record, 305
- SysOp security level, 189
- SYSTEM.INI, 256
- system files
  - file placement, 125, 172, 262
  - modifying for multiple

- nodes, 249
- System Manager
  - command line parameters, 402
  - loading, 16, 34, 356
- system name, 159
- system news
  - see news
- System Operator
  - see SysOp
- system requirements
  - multiple nodes (multitasking), 248
  - network, 261
  - single node, 3
- system time, 30
- SYSTEMS file, 543

---

## T

- tag name, 530
- technical support
  - third-party programs, 5, 224
  - via BBS, 6
  - via Internet, 6
  - via netmail, 6
  - via phone, 6
- template
  - conference, 541
- temporary files location, 130, 522
- temporary SysOp upgrade, 189
- terminology, 10
- TESTFILE
  - command line parameters, 453
  - description, 454
  - errorlevels, 454
  - syntax, 453
- testing file
  - after upload, 170
  - batch file, 495
  - returning result, 495
  - see also uploads
  - while online, 107
- text file
  - capturing, 34, 36
  - importing, 34, 36
  - importing into message, 76
  - uploading into message editor, 75
  - viewing online, 56
- text search



- see searching for text
- third-party programs
  - FOSSIL, 248
  - FOSSIL interface, 245
  - not recognizing COM port, 248
  - see also door
  - support for, 5
- Third Party Allocation
  - see TPA
- thread reading
  - see messages
- time
  - credit for uploads, 170
  - current, 30
  - daily limit, 525
  - increase upon conference join, 214
  - peak (see accounting)
  - see also session
  - slower baud rates, 158
  - stopping for capture, 166
  - stopping for questionnaires, 233
  - SysOp can be paged, 184
  - zone offset, 537
- time-out
  - chat script processing, 544
  - inactivity, 183
  - network, 160
- time limit
  - daily or session, 134, 174
  - decreasing, 34
  - defining, 132
  - increasing, 34
- timed events
  - see events
- TO
  - internet long addressing, 211
  - verifying name, 167
- TPA
  - adding, 391
  - in USERS.SYS, 22
  - keyword, 391
  - listing, 390
  - removing, 391
  - size, 391
  - updating, 391
  - version, 391
- tracking file
  - activity description, 197
  - ASCII format, 197
  - DBF format, 197

- location, 196
- transfer protocol
  - assigning letter, 139
  - bi-directional, 140
  - block size, 140
  - changing, 107
  - data file, 139
  - default, 107
  - defining, 139
  - description, 140
  - display file prior to list, 353
  - downloading, 71
  - external, 139, 140, 491
  - Fido, 532
  - in user record, 111, 358
  - internal, 139
  - not available, 141
  - replace listing, 353
  - RTS signal, 140
  - skip for new users, 175
- transferring files
  - see downloading
  - see uploads
- trashcan
  - uploads, 145
  - user names, 138
- troubleshooting
  - COMM-DRV, 246
  - door, 223
  - PCBoard, 42
- true ring detect
  - see ring detect

## U

- UART
  - 16550, 32, 156, 157
  - card type, 243
  - determining type of, 32
  - types, 32
- unannounced upload
  - see uploads
- undeleting
  - message, 53
  - user record, 57
- undo
  - file directoty processing, 417
  - line in file directory, 432
- UniqueDOSPSP, 256
- units
  - see accounting
- unmarked files, 440
- upgrading from prior versionsee installation
- Uploaded By, 170, 423
- uploads
  - aborted, 287
  - batch of files, 109
  - buffer size, 171
  - byte credits, 170
  - description file, see FILE\_ID.DIZ
  - disabling, 288
  - disabling batch transfers, 169
  - disallow prior to event, 162
  - disconnect after, 108
  - duplicate checking, 144, 288
  - earning, 196, 502
  - force private, 210
  - free-space check, 171
  - free-space required, 172
  - how to upload, 287
  - in status line, 31
  - into message editor, 75, 76
  - local, 108, 287
  - location of descriptions (DIR), 206
  - location of private, 206
  - location of public, 206
  - magnifying charges, 503
  - making private, 109
  - maximum description lines, 183
  - overriding protocol, 108
  - overwriting existing file, 191
  - password protection, 137
  - private, see private
  - uploads
    - promote to batch, 169
    - protecting, 136
    - protecting against, 306
    - public, 210, see public
    - uploads
      - restricting types allowed, 138
      - sort file directory, 418, 450
      - sort type, 205
      - specifying files, 108
      - statistics, 30, 111
      - testing, 170, 288

- trashcan, 145
- unannounced, 109, 288
- uploader in description, 170
- verifying, 170, 288
- upper-case, 431
- UPSEC, 136, 503
- Usenet, 535
  - junk conference, 538
  - last message exported, 215
  - moderated newsgroup, 211
  - public newsgroup, 211
  - see also Internet
  - see also newsgroups
- USENET.MOD, 540
- user commands
  - menu location, 204
  - security level, 192
  - see also commands
- user file
  - description of term, 11
  - encrypting, 176, see ENCRYPT.EXE
  - error opening, 46
  - index files, 24, 371
  - location of, 126
  - location of index files, 129
  - packing, 307, 368
  - printing, 370
  - sorting, 366
  - standardizing phone numbers, 387
  - trashcan, 138
  - undo, 388
- user info file
  - conference allocations, 44, 164, 389
  - creating, 392
  - error loading, 44, 46
  - location of, 126
- user list
  - alias display, 160
  - city display, 160
  - currently online, 60, 112
  - members of conference, 110, 210
  - printing, 52, 56
  - searching for text, 110
  - viewing, 52, 56
- user name
  - in status line, 29

- user record
  - adding, 56, 365
  - address form, 361
  - alias form, 361
  - allow one name users, 174
  - comments, 359
  - conference view, 360
  - definition of term, 11
  - deleting, 56, 357, 366
  - finding, 56, 58
  - forms, 357
  - initializing download counter, 378
  - initializing upload counter, 378
  - last date on, 359
  - last DIR listing, 359
  - locate by expired level, 366
  - locate by name, 366, 404
  - locate by security, 366
  - locating deleted, 366
  - locking out, 33
  - modifying, 56, 356
  - modifying online, 33, 96
  - moving between, 365
  - notes, 364
  - password form, 361
  - printing, 366
  - PSA information, 361
  - searching for text, 57, 366
  - short form, 357
  - statistics form, 362
  - undeleting, 57
  - updating using the W command, 173
  - verification form, 362
- user statistics
  - see statistics
- USERNET
  - clearing a node, 484
  - description, 481
  - drop all nodes to DOS, 484
  - status values, 483
  - syntax, 481
- USERNET.XXX, 278, 283
  - error message, 42, 44, 47
  - frequency of scanning, 31, 160
  - location of, 128
- USERS
  - see user file
- USERS.INF
  - see user info file

- USERS.SYS
  - creating, 22, 221
  - for \$\$LOGON.BAT, 181
  - for door execution, 228
  - reading, 21
- USERSYS command line
  - parameter, 22
- UUCP
  - 7-bit connections, 544
  - active file, 539
  - aliasing exported mail, 541
  - aliasing imported mail, 545
  - bang domain, 538
  - base path, 536
  - converting to, 540
  - decoding messages, 547
  - e-mail conference, 538
  - e-mail host, 537
  - exporting messages, 541
  - log file directory, 536
  - moderator list, 540
  - name, 537, 544
  - newsgroup host, 537
  - organization, 535
  - spool directory, 536
  - sub domain, 538
  - SYSTEMS file, 543
  - time zone offset, 537
- UUI.EXE
  - command line parameters, 547
  - file attachments, 545, 547
  - header display, 546
- UUOUT.EXE
  - file attachments, 542
  - running, 541
  - selecting conferences, 542
- UUUTIL, 539
- UUXFER
  - 7-bit connections, 544
  - chat script, 544
  - command line parameters, 544
  - file grading, 544
  - system to dial, 544
  - SYSTEMS file, 543
- UUXFER.EXE
  - errorlevels, 544
  - running, 543

---

## V

variables  
    see environment variables

verify  
    carrier detect, 155  
    existence of all files, 417, 421  
    file existence, 417, 421

video mode  
    25/50 line mode, 123

VIEWARCH, 455

viewing, 63  
    caller log, 51  
    conference members, 210  
    initial welcome screen, 81  
    text file, 56  
    users currently online, 60

viewing a file  
    batch file, 145, 496  
    display file prior to, 353  
    from file directories, 79  
    in PCBFiler, 426, 433  
    no security required, 28

VIEWZIP, 455

virus testing, 107, 170

VMODEM, 278, 281

voice phone  
    see phone numbers

---

## W

waiting for call screen  
    see call waiting screen

WAN  
    see also network

warn  
    about subscription, 164, 310  
    account balance, 195, 199  
    at logoff, 174

warning  
    inactivity, 283

WARNING display file, 147, 164

WELCOME, 146

welcome screen, 81

who is online  
    see user list

Windows  
    creating PIF file, 255  
    loading nodes at bootup, 250, 260  
    see also multitasking

windows

    minimizing, 187

work files  
    see temporary files  
    location

workstation, 238, 262

write user information, 112, 173

---

## X

X.25, 155

X00, 246

XMS, 180

---

## Z

zero-byte files  
    see 0-byte files

zip code  
    see address

zippy search  
    see searching for text

ZModem, 486  
    parameters, 487

Zmodem  
    over the Internet, 487

ZMRECV  
    see ZModem

ZMSEND  
    see ZModem

zone  
    see Fido